

NA5100 AW



NA5100 AW



Key Features



- ◆ 12.1 inch Wide Screen 15:10 (WXGA)
- ◆ Centrino Platform with BTO (Build-To-Order)
- ◆ 3 Launch Keys (wireless / Internet / Mail)
- ◆ SPDIF digital interface
- ◆ Wireless MiniPCI 802.11b/g
- ◆ CF Card Reader
- ◆ Volume Controller to adjust the volume

[Click here for detailed spec](#)

Product Spec

Product Specifications

Category 2 Spindles

Solution Type White Box Notebook (Centrino)

Processor Intel Pentium M (Support Banias 1M L2 / Dothan 2M L2)
Max. Recommended Frequency: 2.0 GHz (FSB400)
CPU Exchangeable

Alternative Processor Intel Celeron-M
Maximun Support Freq: 1.4 GHz (FSB400)
CPU Exchangeable

Chipset North Bridge: Intel 855GME
South Bridge: Intel ICH4-M

Weight and Dimension Width: 296 mm / 11.66 inch
Depth: 205 mm / 8.03 inch
Height: 35 mm / 1.38 inch
Weight: 4.3 lbs/1.95kg

Display Size: 12.1 inch
Wide Screen (16:10), 16M color
Resolution: WXGA: 1280x800
Simultaneous LCD and CRT display
Dual view support

Graphics System Integrated VGA core
Intel Dynamic Video Memory Technology

System Memory Available Socket: 2
DIMM Type: SO-DIMM DDR (DDR333/266)
Max. Supported RAM 1024MB

Storage Card Reader: CF
HDD type: 2.5" EIDE HDD (4200RPM / 5400RPM)
Optical Device: DVD ROM / Combo (DVD/CD-RW) / DVD Super Multi (Optional)

Product Spec

Power	ACPI Compliant 70W AC adapter 4 cell Li-Ion battery pack (Optional) 2.7 hour battery life with ACPI 3.5 hour maximum charge-in-use 1.5 hour rapid charge
Keyboard and Pointing Device	Keyboard 82/83/86 keys TouchPAD Easy Launch Keys x 3
Audio System	AC' 97Audio Direct Sound Compatible Sound Blaster-Pro Compatible
Wire Communications and Connectivity	10/100 BaseT LAN Build-in V92 56Kbps software data/fax modem
Wireless Communication	MiniPCI 802.11b or 802.11b/g wireless module with antenna (Optional)
I/O Ports	1394 port Card Reader Port (CF) Cardbus type-II slot x 1 Line-in/Mic-in and Line-out(SPDIF) Line-Out jack RJ-11 jack for Modem RJ-45 jack for 10/100 BaseT LAN S-Video TV-Out USB 2.0 Port x 2 VGA port for the second display (CRT, TFT or projector)
Software/Firmware Support	Windows 2000 Windows XP

Product Spec

Security Kensington Lock

Optional Items Additional AC adapter
Additional DDR333 256/512MB SO-DIMM
MiniPCI 802.11b/g Module with Antennas
Additional 8 cells Li-Ion battery pack
External USB FDD
Optical DVD Super Multi
Optical DVD-ROM module
Optical Combo (DVD/CD-RW) module