

NA5800 JL Key Features



- ◆ 15 inch Screen 1024x768 (XGA)
- ◆ Centrino Platform with BTO (Build-To-Order)
- ◆ 5 Launch Keys (wireless / Internet / Mail / P1 & P2 defined by user)
- ◆ Audio DJ Media Player (Playing DVD and Audio CD)
- ◆ SPDIF digital interface
- ◆ Wireless MiniPCI 802.11b/g
- ◆ 3-1 (MS / SD / MMC) Card Reader
- ◆ One IR
- ◆ Volume Controller to adjust the volume

Product Spec

Product Specifications for NA5800 JL

Category	2 Spindles
Solution Type	White Box Notebook
Processor	Intel Pentium M (Dothan 2M L2/FSB 533) Max. Recommended Frequency: 770 (2.13 GHZ/533)
Alternative Processor	Intel Celeron-M Maximun Support Freq: 740 (1.73 GHZ/533) CPU Exchangeable
Chipset	North Bridge: Intel 915GM (Alviso) South Bridge: Intel ICH6M
Weight and Dimension	Width: 330 mm/ 12.99 inch Depth: 275 mm / 10.83 inch Height: 32.1~40.1 mm / 1.26~1.58 inch Weight: 6.17lbs /2.80 kg
Display	Size: 15 inch Resolution: XGA: 1024x768 Simultaneous LCD and CRT display Dual view support
Graphics	Intel 915GM embeded
System Memory	Available Socket: 2 On Board: N/A DIMM Type: SO-DIMM DDRII(400/533) Max. Supported RAM 2048MB
Storage	HDD type: HDD type: 2.5" SATA HDD (5400RPM) Optical Device: DVD ROM / Combo (DVD/CD-RW) / DVD Dual

Product Spec

Power	ACPI Compliant 70W AC adapter 65Wh 8 Cells (4S2P) Cylindrical Li-Ion 4.5 hour battery life with ACPI 4 hour maximum charge-in-use 1.5 hour rapid charge
Keyboard and Pointing Device	Keyboard 84/85/88 keys- inverted "T" cursor layout TouchPAD Easy Launch Keys x 5
Audio System	AC' 97 2.2-compliant stereo audio Sound Blaster-Pro & MS-Sound System compatible
Wire Communications and Connectivity	10/100 BaseT LAN Build-in V92 56Kbps ITU standard fax/modem in MDC module
Wireless Communication	Build-in antenna Build-in antenna x 1 MiniPCI 802.11a/b/g wireless module(option) MiniPCI 802.11b/g wireless module(option) x 1
I/O Ports	1394 port Card Reader port (MS/MS Pro/MMC/SD/XD) Cardbus type-II slot x 1 Line in / mic in jack Line-Out / SPDIF jack RJ-11 jack for Modem RJ-45 jack for 10/100 BaseT LAN S-Video TV-Out USB 2.0 Port x 3 VGA port for the second display (CRT, TFT or projector) One Audio DJ Panel Express Card slot Express Card x 1 One Speaker / Headphone-out jack (SPDIF)

Product Spec

Software/Firmware Support

Windows 2000

Windows XP

Security

Kensington Lock

Optional Items

Additional DDRII Additional 256/ 512/1024MB DDRII x 2

Optical DVD-Dual module Optical DVD-Dual module x 1

Optical module Optical Combo (DVD/CD-RW) module x 1

Wireless Function MiniPCI 802.11a/b/g Module with Antennas x 1

Additional AC adapter

Additional 8 cells Li-Ion battery pack

Optical Combo (DVD/CD-RW) module