



15" SXGA LCD Intel Centrino notebook from Neo-Tak International

Key Features

- Intel® Pentium® M Processor / Intel® Dothan Processor
- Microsoft® Windows® XP Professional Edition
- Intel® 855PM Chipset
- 15" SXGA+ TFT LCD
- 256/512MB DDR SDRAM
- DVD-ROM / Combo / DVD±RW
- Intel® PRO/Wireless 2200 network connection 802.11b/g



- **Specification**

Processor

Intel® Centrino™ mobile technology

Intel® Dothan Processor

Intel® Pentium® M Processor 1.3~1.7 GHz

Operating System

Microsoft® Windows® XP

Professional Edition

Home Edition

Chipset

Intel® 855PM Chipset

System BIOS

AMI Flash EPROM

- **Specification**

Main Memory

0MB DDR on board

Two SODIMM socket for 256/512MB DDR Module

Hard Disk Drive

2.5" 9.5mm IDE HDD, 30/40/60/80 GB

Optical Storage Device

Internal DVD-ROM, Combo Drive or DVD±RW

Display

15" SXGA+ TFT LCD, support 1400x1050 resolution

- **Specification**

Graphics and Video

ATI M11 Mobility "RADEON" 9700 graphic chipset, with 64/128MB DDR SD RAM

Audio

Hardware Volume Control

PCI audio with AC-97 V2.2 compliance

Internal microphone and two 1.5W speakers

Keyboard and Pointing Device

85(US) / 87(JP) keys with windows keyboard and spill proof function TouchPad with four buttons support right/left and scroll up/down

- **Specification**

I/O Ports

- Three USB 2.0 ports
- One DC-In jack
- One PCMCIA Type II slot
- One D-sub 15-pin connector for CRT monitor
- One Line-Out jack for external speaker
- One Mic-In jack for external microphone
- One RJ-11 jack
- One RJ-45 jack
- One S-Video port for TV set
- One SPDIF jack

AC adapter

Input: 100~240V AC, 50/60Hz
Output: 20V, 4.5A, 90W

- **Specification**

Wireless/Communication

Internal 56k V.90 Fax/Modem and
Integrated 10/100M bit Ethernet
Intel® PRO/Wireless 2200BG LAN
Mini PCI wireless LAN 802.11b/g (option)

Dimensions and Weight

330 mm x 297 mm x 40 mm (W x D x H)
3.2 kg

Certification

FCC, CE, JATE, CUL, TUV

Security

Kensington Lock
Administrator password
Boot password